












DP2

Wire-Free Peephole Doorbell

Visible, reliable security at your fingertips


Know who's knocking, from the indoor touchable monitor or via your EZVIZ App. With simple taps on the big or small screen, you can see every detail with clear video quality. You can also set the ringtone as you like and talk to your visitors with ease. Protection is made simple with activity-triggered alerts, so you don't miss a moment.



- FHD** 1080p Video
-  166° Ultra-Wide-Angle View
-  4.3-Inch Color Touch Screen
-  Smart Human Motion Detection
-  Live View & Two-Way Video Call
-  IR Night Vision (Up to 5 m / 16 ft)
-  Built-In Doorbell with Multiple Ringtones
-  High-Endurance Zinc Alloy Body
-  4,600 mAh Rechargeable Battery
-  Supports MicroSD Card (Up to 256 GB)

A useful touch screen made for everyone

The large, colorful and touchable monitor is extremely easy use, even for the elderly and children. No more need to lean against the door to look through the tiny peephole. You will know who's outside by pressing the home button. The screen can also be set to automatically turn on upon detection of visitors.




4.3-Inch
Color Display



Touch Screen for
Easy Control



Auto Wake-Up Upon
Motion Detection¹




Get the whole picture in front of your door in Full HD


The DP2 helps reduce blind spots with a wide 166-degree visual coverage, and captures details in sharp 1080p.



Blurry View



Distorted
Imaging



Narrow View
with Blind Spots



Greet every visitor with calm and ease

Working as a peephole camera and a doorbell, the DP2 ensures both security and convenience. Know instantly who is at your door, why and how to handle the situation even you are far away from home. There is even a voice changer if you'd prefer to remain unidentifiable to a stranger.




Instant Two-Way Video Call



Supports Voice Change for Privacy Protection



Multiple Ringtones at Your Choice



Thank you, please leave that outside the door.

Hi, you have a delivery.


Smarter detection tells you what you want to know

Integrating PIR motion detection with human shape detection, the DP2 is designed to reduce false alarms caused by trivial moving objects. Whether you live near a busy street or in a quiet neighborhood, you can customize the detection sensitivity to receive alerts that you care about.

110°

PIR Motion Detection Angle

EZVIZ
DP2 PIR Event
(14:02:53 2021-10-05) NOW



Wire-free protection with 3-month battery life

The DP2 features a 4,600 mAh rechargeable lithium battery. The standby time can reach up to 90 days² with the smart power-saving functionality.



Built to last

Made with high-endurance zinc alloy, the DP2 is both sturdy enough for the outdoors and stylish enough to fit your front-door style.

Safe, flexible storage options

Save videos locally on a 256 GB storage card, which can be inserted onto the indoor monitor. This guarantees data security in case the outdoor camera is damaged. Or, if you prefer, subscribe to EZVIZ CloudPlay for fully encrypted cloud storage.



Supports MicroSD Card³



Supports EZVIZ CloudPlay⁴

1 By default settings, only the home button will light up upon motion detection. You can choose to enable the auto-wake mode on the touch screen.

2 Data from EZVIZ's lab results, based on the usage of 5 minutes per day under standard conditions.

3 A local storage card must be purchased separately.

4 The cloud storage service is only available in certain markets. Please verify the availability before making a purchase.

Specifications CS-DP2-A0-6E2WPFBS

General

Dimension	Screen and Base: 115.5 x 85.5 x 24.5 mm (4.55 x 3.37 x 0.96 inch) Camera: 71 x 71 x 48.3 mm (2.80 x 2.80 x 1.90 inch)
Weight	Product: 320 g (11.28 oz) With package: 603 g (21.27 oz)
Screen	4.3 inch Color Touch Screen
Color	Silver
Button	Doorbell button, power button, screen wake-up button
Supported Peephole Diameter	16.5 mm to 50 mm (0.65 inch to 1.97 inch)
Supported Door Thickness	35 mm to 105 mm (1.38 inch to 4.13 inch)
Ingress Protection Grade	IP54 for the outdoor camera part (needs to be installed correctly and tightly onto the door)
Operating Conditions	-10°C to 45°C (14°F to 113 °F), Humidity 95% or less (non-condensing)

Camera

Sensor	1/2.7" Progressive Scan CMOS
Lens	2.0mm @ F2.0 Viewing angle: 166° (Diagonal), 136° (Horizontal), 80° (Vertical)
Max. Resolution	1080p / 2MP
Day / Night Switch	ICR infrared filter
IR Night Vision Distance	Up to 16.4 ft / 5 m

Video & Audio

Video Frame Rate	15 fps
WDR	DWDR
Audio Input	Built-in high sensitivity microphone
Audio Output	Built-in high-power speaker
Ringtones	Supports up to 5 ringtones, and the volume is adjustable

Function

Detection	Advanced PIR Motion Detection
PIR Angle	110°
PIR Distance	Up to 20 ft / 6 m
PIR Sensitivity	Adjustable
Image distortion correction	Supports
Local Storage	Supports microSD card (Up to 256 GB)
Cloud Storage	Supports EZVIZ CloudPlay storage (Subscription required)
General Function	Cloud video encryption and image encryption

Network

Protocol	EZVIZ Cloud Proprietary Protocol
Video Intercom	Local and remote video intercom
Wi-Fi Standard	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Supports 20 MHz
Security	64 / 128-bit WEP, WPA / WPA2, WPA-PSK / WPA2-PSK, WPS
Transmission Rate	11b: 11Mbps, 11g: 54Mbps, 11n: 150Mbps

Power

Wiring	Hard-wired
Power Supply	DC 5V ± 10%
Power Consumption	Max. 2.2W

In the box:

- DP2 Peephole Doorbell
- Panel
- Mounting Base
- Buckle
- Screws × 6
- Power cable
- Regulatory Information
- Quick Start Guide

Certifications:

UL / CE / FCC / REACH / WEEE / RoHS / UKCA

Specifications are subject to change without notice. "EZVIZ", "EZVIZ" and other EZVIZ's trademarks and logos are the properties of EZVIZ in various jurisdictions. Other brands and product names are trademarks or registered trademarks of their respective holders.

<https://www.ezvizlife.com/>