



Axis EN Manual Call Point

The Axis EN Manual Call Point is compatible with all fire control panels utilising a fully digital Axis EN protocol.

The call point is smooth and quick to install thanks to the easy wiring design and the front operating element that snaps into place requiring no additional tools.

The call point benefits from improved levels of visibility thanks to a reflective polyester flag at the bottom of the operating face and a brightly illuminated LED ring in the centre of the active area which allows the alarm condition to be viewed over a wide angle of 170 degrees. The alarm flag indicator can be easily reset using the call point key provided, making the call point ready for immediate re-use.


Features


- Fully compatible with the Axis EN range
- Digital communications protocol
- Built-in short circuit isolator
- High visibility of the alarm condition through LED indication
- Resettable operating element
- Waterproof variant available
- Optional protective cover
- Yellow variant available (please note yellow variant is not EN54-11 compliant)
- 3 years standard product warranty

Standards and approvals

- EN54-11 manual call points
- EN54-17 short circuit isolators
- DoP: ACP







Specification

Loop voltage range	18 to 40 Vdc
Average standby current	35 μA @24 Vdc
Dimensions (H x W x D)	87 mm x 88 mm x 61 mm
Weight	160 g
Temperature range	-10°C to +55°C
Max tolerated humidity (non condensing)	93% RH
IP rating	42

Version [1.00] Page 1 of 2

Order Codes and Optic	ons
Axis-CP	Axis EN Intelligent Manual Call Point (RED)
Axis-CP/Y	Axis EN Intelligent Manual Call Point (Yellow)
Axis-CPCI	Transparent Cover for Axis-CP (no text)
Axis-CPKEY	Spare Reset Key for Axis EN Call Point
Axis-CPFMP	Wall Flush Mount Plate with external Frame (RED) for Axis-CP

Check if this document is up to date | Give us feedback

Advanced, The Bridges, Balliol Business Park, Newcastle upon Tyne, NE12 8EW, UK T: +44 (0)345 894 7000, E: enquiries@advancedco.com, W: www.advancedco.com

As our policy is one of constant product improvement the right is therefore reserved to modify product specifications without prior notice.

Version [1.00] Page 2 of 2